



**TCP/IP Configuration**

Step 1: From the Apple menu, click Control Panels, and choose TCP/IP. Click the arrow box on the Connect via drop-down list and choose PPP or FreePPP (depending on your dialer).



Step 2: Click the arrow box on the Configure drop-down list and choose Using PPP Server.




Step 3: From the File menu, choose Quit

Step 4: Click the Save button.

### **Remote Access Configuration**

Step 5: Go to the Apple menu, select Control Panel, then select Remote Access



Step 6: Select Registered User

Step 7: Type in your username (your primary email address)

Step 8: Type in your password

Step 9: Check the box that says Save password


Step 10: In the Number field, type in the GTA Internet dialup access number: 648-4826.




Step 11: Click the Options button

Step 12: Click the Redialing tab

Step 13: Position the mouse arrow in the Redial field and choose "Redial main number only"



Step 14: Click the Connection tab (All options on this page are optional).




Step 15: Click the Protocol tab

Step 16: In the Use Protocol: field choose PPP from the pop-down window.

Step 17: Check "Allow error correction and compression in modem"

Step 18: Check "Use TCP header compression"

Step 19: Click OK



Step 20: Click the Connect button in the lower right corner of the Remote Access control panel window. Once connected, the Connect button will change to Disconnect.

