





BOOSTBOX

Quick Start Guide

BoostBox

Getting To Know Your Device.

Status Indicators (Front of the Device)



In The Box GTA BoostBox | Ethernet Cable | AC Power Adapter | Stand | Wall Mount Kit | User Manual


BoostBox

Quick Setup

1 Connect your device to the Internet.



Connect the yellow Ethernet cable from the yellow LAN1 port on your BoostBox to your router's LAN1 port.



NOTE:

If you have a device already connected into your router's LAN1 port, connect that device to the LAN2 port on your BoostBox.


2

Power on your device.



Connect your BoostBox to a power outlet with the AC Power Adapter.

The Power light on the front of the device will come on immediately. Within a few minutes, other lights will flash as software is updated.



3


Wait while your device connects.



Take a break!

It can take up to 90 minutes to complete activation.
Your device may update and restart during this time.

Status Confirmation



The Ethernet light will start flashing white after connecting power to your device. Solid light indicates activation is complete.

4

Confirm your success !




Your device is configured and working properly when:

- » The Ethernet light on your BoostBox is solid white.
- » Your cell phone shows "GTA Boost" instead of "GTA" as the network provider (as shown below).

NOTE:

You may need to restart your cell phone for "GTA Boost" to appear.



NOTE:

Some mobile devices will display items differently.

Having Trouble?

1. Have you waited at least 90 minutes?
2. Does your BoostBox have a solid Ethernet light?
3. Is your Internet connection and home network up and running and connected?

Need More Help?

Refer to the Troubleshooting section in the User Manual, or call GTA Customer Service Support at (671) 644-4482.

Terms & Conditions

Visit www.gta.net for a complete list of terms and conditions.

